

All logicians are millionaires.	all L is M
Gensler is a logician.	g is L
∴ Gensler is a millionaire.	∴ g is M

Syllogistic logic (our first system)
deals with such arguments; it uses
capital and small letters and five words
("all," "no," "some," "is," and "not").

Wffs are sequences having
any of these eight forms:

all A is B	x is A
no A is B	x is not A
some A is B	x is y
some A is not B	x is not y

Use capital letters for *general terms* (terms that *describe* or put in a *category*):

B = a cute baby

C = charming

D = drives a Ford



Use small letters for *singular terms* (terms that pick out a *specific* person or thing):

b = the world's cutest baby

c = this child

w = William Gensler



A *syllogism* is a vertical sequence of one or more wffs in which each letter occurs twice and the letters “form a chain” (each wff has at least one letter in common with the wff just below it, if there is one, and the first wff has at least one letter in common with the last wff).

no P is B	no P is B
some C is B	some C is not B
∴ some C is not P	∴ some C is P

A letter is *distributed* in a wff if it occurs just after “all” or anywhere after “no” or “not.”

all <u>A</u> is B	x is A
no <u>A</u> is <u>B</u>	x is not <u>A</u>
some A is B	x is y
some A is not <u>B</u>	x is not y

Star test: Star premise letters that are distributed and conclusion letters that aren’t distributed. Then the syllogism is **VALID** if and only if every capital letter is starred exactly once and there is exactly one star on the right-hand side.

no P* is B* Valid
 some C is B
 ∴ some C* is not P

no P* is B* Invalid
 some C is not B*
 ∴ some C* is P*

English arguments: First use intuition.

1. All segregation laws degrade human personality.
All laws that degrade human personality are unjust.
 \therefore All segregation laws are unjust.

Then translate into logic and work it out.

Idioms are hard!

Every / each / any / whoever ... = all ...

A's are B's = all A is B

Only men are NFL football players \neq all M is F
= all F is M

No one is an NFL fb player unless they are a man \neq no F is M
= all F is M

Idiom flashcards

Whoever
is thin is
not jolly.

=

?

Not all
people are
happy.

=

?

Only rich
people
are happy.

=

?

Deriving conclusions

(1) Translate the premises and star.

(2) Figure out the letters in the conclusion.


(3) Figure out the form of the conclusion.

(4) Add the conclusion and do the star test.




<p><i>If both conclusion letters are capitals:</i></p> <p>if <i>all</i> the premises are universal (have “all” or “no”), then use the “all A is B” or “no A is B” form in the conclusion; otherwise, use “some A is B” or “some A is not B.”</p>	<p><i>Use the negative form (“no” or “not”) if there’s a negative premise.</i></p>
<p><i>If just one conclusion letter is small:</i></p> <p>use the “x is A” or “x is not A” form in the conclusion.</p>	
<p><i>If both conclusion letters are small:</i></p> <p>use the “x is y” or “x is not y” form in the conclusion.</p>	

Venn Diagrams




Draw the premises (first shade for “all” and “no” – and then use “×” for “some”), trying *not* to draw the conclusion. The syllogism is **VALID** if and only if drawing the premises *necessitates* draws the conclusion.


“no A is B”
Shade wherever
A and B overlap.




“some A is B”
“×” an unshaded
area where A
and B overlap.



“all A is B”
Shade areas of A
that aren't in B.



“some A is not B”
“×” an unshaded
area in A that
isn't in B.



If the “×” could go in either of two unshaded areas, the argument will be invalid; to show this, put the “×” in an area that doesn't draw the conclusion.

Idiomatic arguments

1. Identify the conclusion.

These often indicate premises:

Because, for, since, after all ...

I assume that, as we know ...

For these reasons ...

-
- •

These often indicate conclusions:

Hence, thus, so, therefore ...

It must be, it can't be ...

This proves (or shows) that ...

2. Translate into logic. Use wffs – and make sure each letter occurs twice. Add implicit premises if needed.

3. Test for validity.